


PART NO.

**RF-ATN-NMF-50W6**

REV	DESCRIPTION	DWN	DATE	APPROVED
-	ENGINEERING RELEASE	CZS	07/19/19	JDMc

**SPECIFICATIONS:**

IMPEDANCE: 50 OHMS  
 FREQUENCY RANGE: 0-3 GHz  
 POWER: 50 WATT (AVERAGE)  
 VSWR MAX:  $\leq 1.2:1$   
 ATTENUATION: 6dB  
 ACCURACY:  $\pm 0.5$ dB  
 OPERATING TEMPERATURE:  $-30^{\circ}\text{C}$  TO  $+65^{\circ}\text{C}$

**NOTES:**

CONNECTORS WILL HAVE PROTECTIVE CAPS ON

CUSTOMER OUTLINE DRAWING		<b>RoHS</b> COMPLIANT	<b>RFconnectors</b> DIVISION OF RF INDUSTRIES, LTD. 7610 MIRAMAR RD. SAN DIEGO, CA 92126 (858) 549-6340 (858) 549-6345 FAX	
ALL DIMENSIONS ARE REFERENCE ONLY				
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES AND [MILLIMETERS]		PROPRIETARY AND CONFIDENTIAL THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO RF INDUSTRIES. ANY UNAUTHORIZED USE OF THIS DRAWING IS EXPRESSLY PROHIBITED WITHOUT WRITTEN PERMISSION FROM RF INDUSTRIES. ANY VIOLATION IS PUNISHABLE UNDER U.S. COPYRIGHT LAWS.		
50 WATT ATTENUATOR N MALE TO N FEMALE 6dB	SIZE	CABLE GROUP	DWG NO.	REVISION
	A		<b>RF-ATN-NMF-50W6</b>	—
ORJ DRAWN C. ZUNIGA	07/19/19	SCALE: NTS	ENGINEERING ID: 000000	SHEET 1 OF 1