



THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO RF INDUSTRIES.
 ANY UNAUTHORIZED USE OF THIS DRAWING IS EXPRESSLY PROHIBITED
 WITHOUT WRITTEN PERMISSION FROM RF INDUSTRIES.
 ANY VIOLATION IS PUNISHABLE UNDER U.S. COPYRIGHT LAWS.

ALL DIMENSIONS ARE REFERENCE ONLY


PART NO.

RFN-1007-2SX

REV	DESCRIPTION	DWN	DATE	APPROVED
G	CHANGE DIE OD / BODY ID / SEPARATE BODY DWG	CZS	4/2/97	R. RICE
H	STANDARDIZE SHELL, BODY & DIELECTRIC / CHG STRIP INSTR	CZS	2/11/99	R. RICE
J	CHANGE TO KNURLED FERRULE STUD / RELOCATE BARB	CZS	9/8/00	JDMc
K	CHANGE STRIPING, SPECS, FORMAT & DWG # 7879	GGG	3/5/02	JDMc




RECOMMENDED
CRIMP DIE: .068"



RECOMMENDED
CRIMP DIE: .255"

SPECIFICATIONS:

IMPEDANCE: 50 Ohms
 FREQUENCY RANGE: 0-11 GHz
 VSWR: 1.3 Max.
 INSERTION LOSS: .06 dB Max. X fGHz
 WORKING VOLTAGE: 1k V rms @ sea level
 TEMPERATURE RANGE: -65°C TO 85°C
 INSULATION RESISTANCE: 5k M Ohms min.
 FOR RG-8/X, BELDEN 9258, MAXRAD M8X-100 &
 M8X-1000, MICRO 8/U, REMEE 1600, SAXTON 8315 &
 TIMES LMR-240 & LMR-240 ULTRAFLEX CABLE



RECOMMENDED
STRIPPING DIMENSIONS

1	BODY	1	BRASS	SILVER, 80μ"	000486	DRAWN G. CALLEGOS 3/5/02 CHECKED CJM 3-5-02 ORJ DRAWN C. ZUNIGA 5/11/92
2	PIN	1	BRASS	GOLD, 3μ"		
3	DIELECTRIC	1	PTFE	----		
4	RETAINING RING	1	BRASS	----		
5	GASKET	1	RUBBER	----		
6	SHELL	1	BRASS	SILVER, 80μ"		
7	FERRULE	1	BRASS	SILVER, 80μ"		
8	GRUOND RING	1	BRASS	SILVER, 80μ"		
9						
10						
11						
12						
13						
14						
#	DESCRIPTION	QTY	MATRL	FINISH	APPROVALS	DATE

UNLESS OTHERWISE SPECIFIED:
 1. REMOVE ALL BURRS
 2. BREAK ALL CORNERS & EDGES .005 R. MAX.
 3. CHAMFER 1ST & LAST THREADS 45°
 4. SURFACE ROUGHNESS 63 FINISH MIL-STD-10
 5. DIAMETERS ON COMMON CENTERS TO BE CONCENTRIC WITHIN .002 T.I.R.
 6. ALL DIMENSIONS ARE AFTER PLATING.

DIMENSIONS ARE IN INCHES AND [MILLIMETERS]
 UNLESS OTHERWISE NOTED TOLERANCES ARE:
 DECIMALS DIAMETER
 .xxx±.003 [.08] .xxx±.001 [.03]
 .xx±.005 [.13] .xx±.003 [.08]

RF

connectors

7610 MIRAMAR RD
 SAN DIEGO, CA 92126
 (858) 549-6340
 (858) 549-6345 FAX

DIVISION OF RF INDUSTRIES, LTD.

N PLUG CRIMP

SIZE A	CABLE GROUP X	DWG NO. RFN-1007-2SX	REV K
SCALE: NTS		CAD FILE OUTLINE	SHEET 1 OF 1