





SPECIFICATION CONTROL DRAWING

THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO RF INDUSTRIES, LTD. ANY UNAUTHORIZED USE OF THIS DRAWING IS EXPRESSLY PROHIBITED. ANY VIOLATION IS PUNISHABLE UNDER U.S. COPYRIGHT LAWS.

REV	DESCRIPTION	DWN	DATE	APPROVED
A1	ENGINEERING RELEASE	PB	9/23/92	J. BENZ
B1	CHANGE TO CONTROL DRAWING \ RPLS DWG #7712	PB	11/5/92	J. BENZ
C	ADD DIELECTRIC CALL OUTS \ STANDARDIZE	KMM	3/21/95	R. RICE
D	CHANGE SHELL ID [#4]	KMM	1/12/98	R. RICE

ALL DIMENSIONS ARE REFERENCE ONLY

USE INSTALLATION TOOL TO PUSH FERRULE FORWARD UNTIL IT BUTTS AGAINST CONNECTOR BODY REMOVE TOOL AFTER INSTALLATION



SUGGESTED STRIPPING INSTRUCTIONS
CRIMP CONTACT W/ .052 DIE

SPECIFICATIONS:

IMPEDANCE: 50 OHMS
 WORKING VOLTAGE: 335 VRMS @ SEA LEVEL
 FREQUENCY RANGE: 0-2.5 GHz
 INSERTION LOSS: ≤ -2 dB @ 2 GHz
 VSWR MAX: 1.25:1 @ 2 GHz
 FOR RG-58, 58A, 58C, 141, 141A, 400/U, BELDEN 8240, 8259, 8262, 9201, 9203, 9310, 9311, COMM/SCOPE 0268 & CUSHCRAFT ULTRALINK TL92463E

DIMENSIONS ARE IN INCHES AND [MILLIMETERS]	
UNLESS OTHERWISE NOTED TOLERANCES ARE:	
DECIMALS	DIAMETER
DRAWN K. MAXWELL	1/12/98
CHECKED <i>[Signature]</i>	1/13/98
ORJ DRAWN P. BREAUX	9/23/92
APPROVALS	DATE

RF

connectors

7610 MIRAMAR RD
 SAN DIEGO, CA 92126
 (619)549-6340
 (619)549-6345 FAX

RFU-600

MINI UHF MALE W/ PUSH ON FERRULE

SIZE A	CABLE GROUP C	DWG NO. 7813	REV D
------------------	-------------------------	------------------------	-----------------

SCALE: 2:1
CAD FILE 13ARC B
SHEET 1 OF 1

ITEM	DESCRIPTION	QTY	MATERIAL	FINISH
6	INSTALLATION TOOL	1	PHENOLIC	NONE
5	FERRULE	1	BRASS	NICKEL
4	SHELL	1	BRASS	NICKEL
3	DIELECTRIC	1	*TEFLON	NONE
2	PIN	1	BRASS	SILVER
1	BODY	1	BRASS	NICKEL