






THIS DRAWING CONTAINS INFORMATION PROPRIETARY TO RF INDUSTRIES.  
 ANY UNAUTHORIZED USE OF THIS DRAWING IS EXPRESSLY PROHIBITED  
 WITHOUT WRITTEN PERMISSION FROM RF INDUSTRIES.  
 ANY VIOLATION IS PUNISHABLE UNDER U.S. COPYRIGHT LAWS.

ALL DIMENSIONS ARE REFERENCE ONLY

PART NO.

**RT-1200-C**

REV	DESCRIPTION	DWN	DATE	APPROVED
A	ENGINEERING RELEASE	CZS	8/9/99	JDMc
B	CHANGED STRIPPING LENGTH	JDM	01/31/01	JDMc



STRIPPING INSTRUCTIONS

**SPECIFICATIONS:**

IMPEDANCE: 50 OHMS  
 FOR RG-58, 58A, 58C, 141, 141A, BELDEN 8240,  
 8259, 8262, 9201, 9203, 9310, 9311 & COMM/SCOPE 0268

1	BODY	1	BRASS	NICKEL, 100 MICRO
2	INSULATOR	1	PTFE	---
3	PIN	1	BRASS	GOLD, 3 MICRO
4	PRESS GRND. RING	1	BRASS	NICKEL, 100 MICRO
5	WASHER	1	BRASS	NICKEL, 100 MICRO
6	GASKET	1	RUBBER	RED
7	CLAMP	1	BRASS	NICKEL, 100 MICRO
8	GASKET	1	RUBBER	RED
9	BACK NUT	1	BRASS	NICKEL, 100 MICRO
10	COUPLING NUT	1	BRASS	NICKEL, 100 MICRO
11				
12				
13				
14				
#	DESCRIPTION	QTY	MATRL	FINISH

000486	
DRAWN	JDM
CHECKED	JDM
ORJ DRAWN	C. ZUNIGA
APPROVALS	
DATE	2/12/01

UNLESS OTHERWISE SPECIFIED:  
 1. REMOVE ALL BURRS  
 2. BREAK ALL CORNERS & EDGES .005 R. MAX.  
 3. CHAMFER 1ST & LAST THREADS 45°  
 4. SURFACE ROUGHNESS 63 FINISH MIL-STD-10  
 5. DIAMETERS ON COMMON CENTERS TO BE CONCENTRIC WITHIN .002 T.I.R.  
 6. ALL DIMENSIONS ARE AFTER PLATING.

DIMENSIONS ARE IN INCHES AND [MILLIMETERS]  
 UNLESS OTHERWISE NOTED TOLERANCES ARE:  
 DECIMALS      DIAMETER  
 .XXX±.003 [.08]      .XXX±.001 [.03]  
 .XX±.005 [.13]      .XX±.003 [.08]

RF

7610 MIRAMAR RD  
 SAN DIEGO, CA 92126  
 (858) 549-6340  
 (858) 549-6345 FAX

DIVISION OF RF INDUSTRIES, LTD.

## TNC PLUG, CLAMP

REVERSE THREADS

SIZE A	CABLE GROUP C	DWG NO. RT-1200-C	REV B
SCALE: NTS		CAD FILE OUTLINE	SHEET 1 OF 1